Expressive grammar formalisms

Computational Linguistics

Alexander Koller

22 December 2017

The story so far

- Context-free grammars have many strengths.
 - simple parsing algorithms with decent complexity
 - simple but effective probability model (PCFGs)
 - easily extended (e.g. to SCFGs)
- They also have weaknesses.
 - Some phenomena in NL syntax not context-free; can't be correctly modeled with (P)CFGs.
 - Grammars cannot be *lexicalized*; hard to predict syntactic structure in which a word is used.
- Let's look at these in more detail.

Some NLs not context-free

... because they allow *cross-serial dependencies*.

Jan säit das mer es huus haend wele aastriiche.

Jan säit das mer d'chind es huus haend wele laa aastriiche.

Jan säit das mer em Hans es huus haend wele hälfe aastriiche.

Jan säit das mer d'chind em Hans es huus haend wele laa hälfe aastriiche.

- * Jan säit das mer em Hans d'chind es huus haend wele laa hälfe aastriiche.
- * Jan säit das mer em Hans em Sepp es huus haend wele laa hälfe aastriiche.
- * Jan säit das mer em Hans es huus haend wele laa hälfe aastriiche.

 $\Rightarrow w a^{m} b^{n} x c^{m} d^{n} y \qquad \Rightarrow not context-free$

(Shieber 1985 on Swiss German; everybody should read this paper)

Lexicalization

- We call a grammar *lexicalized* if every piece of grammatical information is tied to a word.
 - For every word, there is a finite set of lexicon entries which say how it can combine with others.
- Advantages:
 - convenient in manual grammar development
 - can make parsing really, really fast (supertagging)
- Most information in a CFG is in the production rules, i.e. *not* lexicalized.

Lexicalization of CFGs

- Greibach normal form:
 - lexicalized (exactly one terminal symbol per rule)
 - can bring every CFG into weakly equivalent GNF
 - but not strongly equivalent (parse trees change)



• Can we strongly lexicalize CFGs?



























Tree substitution grammars

- *Tree substitution grammars (TSGs):* finite set of *elementary trees* for the words.
- Nodes of elementary trees:
 - *internal nodes*, labeled with nonterminal symbols
 - *lexical anchors*, leaves labeled with words or POS tags (sometimes marked with diamond: A◊)
 - *substitution nodes*, leaves marked with nonterminals
 (usually marked with downarrow: A↓)

Lexicalized elementary trees



lexicalized





TSGs: Derivations

- Derivation step, $t \Rightarrow t'$:
 - t a tree that contains a substitution node u with label A
 - e an elementary tree with root label A
 - obtain t' from t by replacing u with e
- Derived tree t of grammar G: $S \downarrow \Rightarrow^* t$ and contains no more substitution nodes.
- TSG describes:
 - language of derived trees
 - language of strings (= yields of derived trees)





S↓

















no more substitution nodes, therefore derived tree of grammar

Lexicalized TSG

- Call elementary tree lexicalized if it contains a lexical anchor.
- Call TSG lexicalized if all elementary trees are lexicalized.
- Can we strongly lexicalize all CFGs into TSGs?
 - that is: is it true that for every CFG, there is a lexicalized TSG such that derived trees of TSG = parse trees of CFG?

No!

• Counterexample (Schabes):

 $S \rightarrow S S$ $S \rightarrow a$

• Path to highest leaf can be arbitrarily long; but is bounded in any given lexicalized TSG.













• Using these lexicalized elementary trees:



S

• Using these lexicalized elementary trees:





• Using these lexicalized elementary trees:





• Using these lexicalized elementary trees:





• Using these lexicalized elementary trees:





• Using these lexicalized elementary trees:





• Using these lexicalized elementary trees:





Tree-adjoining grammars



- A (lexicalized) TAG grammar consists of a finite set of lexicalized elementary trees.
 - *initial trees:* have no foot node
 - *auxiliary trees:* have foot nodes
- Combine these using substitution and adjunction.
- Can prove that for every CFG, there is a strongly equivalent, lexicalized TAG gramar.
- In addition to all context-free grammars, can also describe languages that are not context-free.

Swiss German in TAG



Parsing

- Can define a CKY-style parser for TAG. Items:
 - [A, i, k, ...] for substring from i to k
 (yield of initial trees)
 - <A, i, j, k, l, ...> for *pair* of substrings from i-j and k-l (yield of auxiliary trees)
- Most expensive rule wraps one pair around another: $\frac{\langle A, i_1, i_2, i_5, i_6, \beta_1, \epsilon \rangle \quad \langle A, i_2, i_3, i_4, i_5, \beta_2, \pi \rangle}{\langle A, i_1, i_3, i_4, i_6, \beta_2, \pi \rangle}$
- Thus, parsing complexity O(n⁶).

Categorial Grammars

- CFG and TAG based on *phrase structure grammar*:
 - combine small constituents into larger constituents
 - no inherent relationship between nonterminals (V, NP);
 grammar must say that they can be combined
- One alternative: *categorial grammar*.
 - ► NL expressions have *categories*, e.g. S\NP
 - category says what type of substrings it would like to be combined with (NP) and what type of substring this will produce (S) ⇒ functor-argument structure made explicit
 - ... and on what side we're looking for the NP
 (slash "/" = to the right; backslash "\" = to the left)

Example

John	eats	а	sandwich	
NP	(S\NP)/NP	NP/N	N	
			NP	
	S\NP			
		S		

CCG



- Combinatory Categorial Grammar (CCG): one grammar formalism for CG which is very popular in computational linguistics.
- Grammar specifies:
 - finite set of categories for each word in the lexicon
 - rules for combining categories
 (application, composition, type-raising)

Application

• Application rules combine a functor category with the next argument that it is looking for.



Example



John	eats	a	big	sandwich	
NP	(S\NP)/NP	NP/N	N/N	N	-
		-		Ν	- /
]	NP	- /
			S\NP		- >
S					- <

Composition

• Using the *composition* rules, can combine two categories and pass "leftover" arguments to the category of the bigger string.



Swiss German

• Crossed composition allows us to model cross-serial dependencies.

das	mer	em Hans	es huus	hälfed	aastriiche		
	NP _{nom}	NP _{dat}	NP _{acc}	NP_{acc} $S_{+SUB} NP_{nom} NP_{dat} / VP$		\Rv	
			$\frac{S_{+SUB} NP_{nom} NP_{dat} NP_{acc}}{S_{+SUB} NP_{nom} NP_{dat} NP_{acc}} > 1$				
			S _{+SUB} \NP _{nom} \NP _{dat}				
			S _{+SUB} \NP _{nom}				
	S _{+SUB}						

("VP" = abbreviation for S\NP_{nom})

Some formal results

- Can show that certain versions of TAG and CCG are weakly equivalent: generate same language class.
 - proof by Vijay-Shanker and Weir, early 1990s
 - requires CCG grammars that are not entirely lexicalized (Kuhlmann, Koller, Satta 2015)
- Therefore, word problem of CCG is $O(n^6)$.
- Polynomial CCG parser is annoying to implement; most implementations (e.g. OpenCCG, C&C) are worst-case exponential.

Supertagging

- Practical parsing time is determined by degree of *lexical ambiguity*: how many lexicon entries per word?
 - This is worse for TAG than for CCG because CCG's combination operations more flexible than TAG's.
 - Not unusual to have hundreds of lexicon entries per word in large-scale TAG grammar.
- Supertagging: use statistical methods to narrow down lexicon entries before parsing starts.
 - Use methods for other tagging tasks (e.g. POS tagging):
 e.g. HMMs, CRFs, neural networks.

State of the art

- CCG parser of Lewis et al. (2016):
 - very accurate supertagger based on neural nets (LSTMs)
 - drastically simplified probability model (supertag-factored)
 - ▶ very fast parsing through A* search and parallelization

Model	QUESTIONS		BIOINFER			
	Р	R	F1	P	R	F1
C&C	-	-	86.6	77.8	71.4	74.5
EASYCCG	78.1	78.2	78.1	76.8	77.6	77.2
C&C + RNN	-	-	-	80.1	75.5	77.7
LSTM	87.6	87.4	87.5	80.1	80.9	80.5
LSTM + Dependencies	88.2	87.9	88.0	77.8	80.1	79.4
LSTM + Tri-training	-	-	-	81.8	82.6	82.2

Parser	Sentences
	per second
SpaCy* ⁴	778
Berkeley GPU* (Hall et al., 2014)	687
Chen and Manning (2014)*	391
C&C	66
EASYCCG	606
LSTM	214
LSTM + Dependencies	58
LSTM GPU	2670

Conclusion

- Rich literature on grammar formalism that are more expressive than CFGs.
 - expressive capacity needed for some linguistic phenomena
 - more convenient for manual grammar development
 - lexicalization
 - see Syntactic Theory lecture if you want more details
- Parsing for these formalisms:
 - higher asymptotic complexity than for CFGs
 - if done right, supertagging for lexicalized grammars can yield extremely fast parsers